



a l a r g e

**AGILE, ROBUST,
SMART LAB SYSTEM.
SUSTAINABILITY AND RESILIENCE.**

**AUTOMATIC
FILM
APPLICATOR**



Standards

ASTM D823

+90 212 924 56 52

www.alarge.com.tr

ALARGE ALIÇ AĞACI MAK. ELEK. AR-GE SAN. TİC. LTD. ŞTİ.

Çifte Havuzlar Mah. Eski Londra Asfaltı Cd. YTÜ Teknopark D2 Blok No: 2B01 Davutpaşa - İstanbul/TÜRKİYE

Fax: +90 212 278 61 33 Mail: info@alarge.com.tr

www.alarge.com.tr

+90 212 924 56 52




AUTOMATIC FILM APPLICATOR

TECHNICAL SPECIFICATIONS

- ✓ Accessory: Doctor Blade
- Aparatus
- ✓ Dimensions: 400 mm x 350 mm x 420 mm
- ✓ Weight: 30 Kg
- ✓ Sample Size: 210 mm x 297 mm

- ✓ Power Supply: AC 220V, 50/60 Hz
- ✓ Bed: Automatic temperature adjustable bed
- ✓ Sliding: Adjustable speed





**AGILE, ROBUST,
SMART LAB SYSTEM.
SUSTAINABILITY AND RESILIENCE.**

**AL ELM
ELMENDORF TEAR
STRENGTH TESTING
MACHINE**



Standards

ISO 6383/2, T414

+90 212 924 56 52

www.alarge.com.tr

ALARGE ALIÇ AĞACI MAK. ELEK. AR-GE SAN. TİC. LTD. ŞTİ.

Çifte Havuzlar Mah. Eski Londra Asfaltı Cd. YTÜ Teknopark D2 Blok No: 2B01 Davutpaşa - İstanbul/TÜRKİYE

Fax: +90 212 278 61 33 Mail: info@alarge.com.tr

AL ELM ELMENDORF TEAR STRENGTH TESTING MACHINE

TECHNICAL SPECIFICATIONS

Kalibrasyon	Test	Rapor
Kalibrasyon A	Kalibrasyon B	Kalibrasyon C
Değer : 93.34	Değer : 0	Değer : 0
92.64 ✓ ✗	1. değer ✓ ✗	1. değer ✓ ✗
93.34 ✓ ✗	2. değer ✓ ✗	2. değer ✓ ✗
93.34 ✓ ✗	3. değer ✓ ✗	3. değer ✓ ✗
Ortalama A 93.11	Ortalama B 0	Ortalama C 0

Kalibrasyon	Test	Rapor
Ağırlık A	1. değer ✓ ✗	
Ağırlık A	2. değer ✓ ✗	
Ağırlık B	3. değer ✓ ✗	
Ağırlık C	4. değer ✓ ✗	
Yırtılma mN	5. değer ✓ ✗	
Giriş	Kes	Bırak
		Kilitle
		Kapat

Elmendorf Test Raporu	
Standart:	ISO 6383
Kullanıcı Adı:	umut
Firma Adı:	Alarge
Numune Adı:	p30
Numune Kodu:	970
Numune Turu:	Dikdörtgen Numune
Numune Kalınlığı:	0.25
Test Ağırlığı:	Ağırlık A
Test 1 :	245.38
Test 2 :	16.97
Test 3 :	16.97
Test 4 :	16.97
Test 5 :	16.97
Maksimum :	245.38
Minimum :	16.97
Ortalama :	62.65
Standart Sapma :	91.36

✓ Range of Tearing Force: A = 8N, B = 16N, C = 32N

✓ Cut Length: 20 +- 0.2 mm

✓ Rip Length : 43 +- 0.2 mm

✓ Sample Size: 100 mm x 63 mm

✓ Power Supply: AC 220V, 50/60 Hz

✓ Dimensions: 580 mm x 440 mm x 280 mm

✓ Weight: 35 Kg

✓ Load: 8, 16, 32 Newton (3sets)

SAMPLE TEMPLATE:

✓ Rectangular Template: 1

✓ Constant-Radius Template: 1

✓ Display: 7 inch

✓ Reporting: PDF and EXCEL Reporting Format

✓ Interface : Easy to use and new generation interface